

Dosage Guide

For Healthcare Professionals

Children 0 months to 11 years TYLENOL® Pediatric Products

DOSE: Every 4 hours as needed

Do NOT give more than 5 doses in 24 hours


If possible, use weight to dose; otherwise, use age.

All Infants' TYLENOL* and Children's TYLENOL* products have the same strength of acetaminophen: 160 mg (in each 5 mL, tablet, or powder).

TYLENOL Martine State Participation Martine State Martine	Infants' TYLENOL® Oral Suspension Active ingredient: acetaminophen 160 mg (in each 5 mL) Available in: 🎒 Grape 📸 Cherry 🍐 Dye-Free Cherry					Use product	Children's TYLENOL® Chewables Active ingredient: acetaminophen 160 mg (in each chewable tablet) Available in: Drape C Bubblegum					
	WEIGHT	6-11 lbs	12-17 lbs	18-23 lbs	24-35 lbs	only as directed.	WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs
Use	AGE	0-3 months	4-11 months	12-23 months	2-3 years		AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years
product only as directed.	DOSE	1.25 mL	2.5 mL	3.75 mL	5 mL		DOSE	1 tablet	1½ tablets ○ D	2 tablets	2½ tablets	3 tablets

Children's TYLENOL® Oral Suspension Active ingredient: acetaminophen 160 mg (in each 5 mL) Available in: 🏶 Grape 🏟 Cherry 🍙 Dye-Free Cherry 🗞 Bubblegum 🍓 Strawberry								
WEIGHT	24-35 lbs	36-47 lbs	48-59 lbs	60-71 lbs	72-95 lbs			
AGE	2-3 years	4-5 years	6-8 years	9-10 years	11 years			
DOSE	5 mL	7.5 mL	10 mL	12.5 mL	15 mL			

mL = milliliter



Important instructions for proper use: Always read and follow the label on all TYLENOL* products. Use only the dosing device (dosing syringe or dosing cup) that came with the product. Do **NOT** use any other dosing device. Do **NOT** use with any other product containing acetaminophen.

Adults and children 12 years and older TYLENOL® Adult Products*

Tylenol		AGE	Children Children 6 years to under 6 years under 12 years		Adults and children 12 years and over		
Results Strengthere Results Strengthere Results Strengthere Results Strengthere Results Strengthere Strengthere Results Strengthere Strength	TYLENOL [®] Regular Strength Tablets and Liquid Gels	DOSE AND FREQUENCY	Ask a doctor	1 tablet or capsule every 4-6 hours while symptoms last	2 tablets or capsules every 4-6 hours while symptoms last		
	Active ingredient: acetaminophen 325 mg (in each tablet or capsule)	MAXIMUM LABELED DOSE	Ask a doctor	Not to exceed 5 tablets or capsules in 24 hours	Not to exceed 10 tablets or capsules in 24 hours, unless directed by a doctor <i>Total labeled daily dose</i> : 3250 mg		
TYLENOL		AGE	Adults and children 12 years and older				
Use products only as directed.	TYLENOL [®] Extra Strength Tablets and Dissolve Packs	DOSE AND FREQUENCY	2 tablets or powders every 6 hours while symptoms last				
	Active ingredient: acetaminophen 500 mg (in each tablet or powder)	MAXIMUM LABELED DOSE	Not to exceed 6 tablets or powders in 24 hours, unless directed by a doctor <i>Total labeled daily dose</i> : 3000 mg				
,		AGE		Adults and children 12 ye	ars and older		
TYLENOL 8HR	TYLENOL [®] 8HR Muscle Aches & Pain Tablets	DOSE AND FREQUENCY‡	2 bi-layer tablets every 8 hours with water				
Use product only as directed.	Active ingredient: acetaminophen 650 mg (in each tablet) [†]	MAXIMUM LABELED DOSE	Not to exceed 6 bi-layer tablets in 24 hours Total labeled daily dose: 3900 mg				
ollow the lab	tructions for proper use: Always read and el on all TYLENOL [*] products. Do NOT use r product containing acetaminophen.			dosage: If pain or fever persists a ay exercise their discretion and re			
'This is not a	a complete list of all available	†Extended release. ‡Do not use in children under 12 vears of age.					

TYLENOL[®] adult products.

†Extended release. ‡Do not use in children under 12 years of age. §The efficacy and safety of TYLENOL® at 4000 mg/day are well established.